

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	2792	MPEG\$2 and ((error\$1 or parity or CRC or (cyclic adj redundancy adj check)) same (select\$4 or compar\$6) same (stor\$5 or memor\$2 or buffer\$1 or FIFO\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/29 17:57
L6	1926	L5 and @AD<"20020116"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/29 17:57
L7	1144	L6 and (sync\$8 or (every adj5 (bit\$1 or byte\$1)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/29 17:57
L8	278	L7 and ("370"/\$.ccls. or "714"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/29 17:57
L9	192	L8 and (decod\$3 same (video or MPEG\$2 or imag\$4 or Tv or television))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/29 17:57
L10	265	(convert\$5 with (7-bit\$1 or ("7" adj bit\$1) or (seven adj bit\$1)) with (8-bit\$1 or ("8" adj bit\$1) or (eigh\$2 adj bit\$1)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/29 17:57
L11	82	L10 and (error\$1 or parity) and sync\$8	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/29 17:57
L12	45	L11 and (MPEG or video)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/29 17:57
L13	265	(convert\$5 with (7-bit\$1 or ("7" adj bit\$1) or (seven adj bit\$1)) with (8-bit\$1 or ("8" adj bit\$1) or (eigh\$2 adj bit\$1)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/29 17:57
L14	82	L13 and (error\$1 or parity) and sync\$8	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/29 17:57
L15	45	L14 and (MPEG or video)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/29 17:57
L16	265	(convert\$5 with (7-bit\$1 or ("7" adj bit\$1) or (seven adj bit\$1)) with (8-bit\$1 or ("8" adj bit\$1) or (eigh\$2 adj bit\$1)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/29 17:57
L17	9	L16 and ((error\$1 or parity or CRC or (cyclic adj redundancy adj check)) same (every adj5 (bit\$1 or byte\$1)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/29 17:57

L18	272	(convert\$5 with (5-bit\$1 or ("5" adj bit\$1) or (five adj bit\$1)) with (8-bit\$1 or ("8" adj bit\$1) or (eigh\$2 adj bit\$1)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/29 17:57
L19	1282	(convert\$5 with (4-bit\$1 or ("4" adj bit\$1) or (four adj bit\$1)) with (8-bit\$1 or ("8" adj bit\$1) or (eigh\$2 adj bit\$1)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/29 17:57
L20	1727	L16 or L18 or L19	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/29 17:57
L21	35	L20 and ((error\$1 or parity or CRC or (cyclic adj redundancy adj check)) same (every adj5 (bit\$1 or byte\$1)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/29 17:57
L22	26	L21 not L17	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/29 17:57
L23	312	L20 and ((error\$1 or parity or CRC or (cyclic adj redundancy adj check)) near4 (block\$1 or unit\$1 or controller\$1 or processor\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/29 17:57
L24	221	L23 and ((memor\$2 or buffer\$3 or storage\$1) near4 (block\$1 or unit\$1 or controller\$1 or processor\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/29 17:57
L25	102	L24 and MPEG\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/29 17:57
L26	98	L25 and @AD<"20020116"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/29 17:57
S1	265	(convert\$5 with (7-bit\$1 or ("7" adj bit\$1) or (seven adj bit\$1)) with (8-bit\$1 or ("8" adj bit\$1) or (eigh\$2 adj bit\$1)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/20 10:45
S2	82	S1 and (error\$1 or parity) and sync\$8	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/28 19:59
S3	6	S1 and ((error\$1 or parity) with detect\$4) and (sync\$8 with detect\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/19 10:52
S4	2	S2 and ((Reed adj solomon) or (reed-solomon))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/19 11:24
S5	2	S2 and (Reed adj solomon)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/19 11:24

S6	45	S2 and (MPEG or video)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/19 11:29
S7	9	S2 and ("714"/\$.cls.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/19 11:52
S8	0	((7-bit\$1 or ("7" adj bit\$1) or (seven adj bit\$1)) with (to or from) with (8-bit\$1 or ("8" adj bit\$1) or (eigh\$2 adj bit\$1)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/19 14:39
S9	265	(convert\$5 with (7-bit\$1 or ("7" adj bit\$1) or (seven adj bit\$1)) with (8-bit\$1 or ("8" adj bit\$1) or (eigh\$2 adj bit\$1)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/19 14:40
S10	82	S9 and (error\$1 or parity) and sync\$8	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/19 14:42
S11	80	S10 and @AD<"20020116"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/19 14:43
S12	45	S10 and (MPEG or video)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/19 14:43
S14	2	("5646941" or "5703887").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/19 15:15
S15	13	(convert\$5 with (7-bit\$1 or ("7" adj bit\$1) or (seven adj bit\$1)) with (8-bit\$1 or ("8" adj bit\$1) or (eigh\$2 adj bit\$1)) with shift\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/20 11:51
S16	6	(convert\$5 with (7-bit\$1 or ("7" adj bit\$1) or (seven adj bit\$1)) with (8-bit\$1 or ("8" adj bit\$1) or (eigh\$2 adj bit\$1)) with shift\$4 with register\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/20 12:00
S17	123	((7-bit\$1 or ("7" adj bit\$1) or (seven adj bit\$1)) with (8-bit\$1 or ("8" adj bit\$1) or (eigh\$2 adj bit\$1)) with shift\$4 with register\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/20 12:00
S18	116	S17 and @AD<"20020116"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/20 12:02
S19	265	(convert\$5 with (7-bit\$1 or ("7" adj bit\$1) or (seven adj bit\$1)) with (8-bit\$1 or ("8" adj bit\$1) or (eigh\$2 adj bit\$1)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/28 20:05
S20	1	S19 and ((error\$1 or parity or CRC or (cyclic adj redundancy adj check)) same sync\$8 same (every adj5 (bit\$1 or byte\$1)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/29 14:17

S21	9	S19 and ((error\$1 or parity or CRC or (cyclic adj redundancy adj check)) same (every adj5 (bit\$1 or byte\$1)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/28 20:07
S22	545	(convert\$5 with (6-bit\$1 or ("6" adj bit\$1) or (six adj bit\$1)) with (8-bit\$1 or ("8" adj bit\$1) or (eigh\$2 adj bit\$1)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/28 20:06
S23	272	(convert\$5 with (5-bit\$1 or ("5" adj bit\$1) or (five adj bit\$1)) with (8-bit\$1 or ("8" adj bit\$1) or (eigh\$2 adj bit\$1)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/28 20:06
S24	1282	(convert\$5 with (4-bit\$1 or ("4" adj bit\$1) or (four adj bit\$1)) with (8-bit\$1 or ("8" adj bit\$1) or (eigh\$2 adj bit\$1)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/28 20:07
S25	1727	S19 or S23 or S24	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/28 21:10
S26	35	S25 and ((error\$1 or parity or CRC or (cyclic adj redundancy adj check)) same (every adj5 (bit\$1 or byte\$1)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/29 14:22
S29	189	S25 and ("714"/\$.ccls. or "370"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/28 21:18
S30	160	S29 and @AD<"20020116"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/28 20:45
S31	0	S30 and ((error\$1 or parity or CRC or (cyclic adj redundancy adj check)) same sync\$8 same (every adj5 (bit\$1 or byte\$1)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/28 21:14
S32	0	S30 and ((error\$1 or parity or CRC or cyclic) same sync\$8 same (every adj5 (bit\$1 or byte\$1)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/28 20:48
S33	34	S30 and ((error\$1 or parity or CRC or cyclic) same sync\$8)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/28 20:48
S34	312	S25 and ((error\$1 or parity or CRC or (cyclic adj redundancy adj check)) near4 (block\$1 or unit\$1 or controller\$1 or processor\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/28 21:13
S35	221	S34 and ((memor\$2 or buffer\$3 or storage\$1) near4 (block\$1 or unit\$1 or controller\$1 or processor\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/28 21:44
S36	6	S35 and ((error\$1 or parity or CRC or (cyclic adj redundancy adj check)) same (every adj5 (bit\$1 or byte\$1)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/28 21:17

S37	102	S35 and MPEG\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/28 21:17
S38	98	S37 and @AD<"20020116"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/28 21:47
S39	4	S38 and ("714"/\$.ccls. or "370"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/28 21:19
S40	6	S35 and syndrome	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/28 21:28
S41	10278	714/6,12,701-703,746-758,775-776,781-785, 789,798,801,804-805.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/28 21:41
S42	1231	S41 and (conver\$6 near5 (bit\$1 or byte\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/29 11:00
S43	1192	S42 and (error\$1 or parity or CRC or syndrome or (cyclic adj redundancy adj check))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/29 11:00
S44	589	S42 and ((memor\$2 or buffer\$3 or storage\$1) near4 (block\$1 or unit\$1 or controller\$1 or processor\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/29 11:01
S46	331	S44 and sync\$8	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/28 21:46
S47	33	S46 and MPEG\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/29 11:01
S48	28	S47 and @AD<"20020116"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/29 11:03
S49	6714	370/503-506,509-510,512,514,242-245.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/29 11:00
S50	770	S49 and (conver\$6 near5 (bit\$1 or byte\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/29 11:00
S51	536	S50 and (error\$1 or parity or CRC or syndrome or (cyclic adj redundancy adj check))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/29 11:00

S52	205	S51 and ((memor\$2 or buffer\$3 or storage\$1) near4 (block\$1 or unit\$1 or controller\$1 or processor\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/29 11:01
S53	19	S52 and MPEG\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/29 11:02
S54	83	S52 and (MPEG\$2or (imag\$4 or video))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/29 11:02
S55	93	S52 and (MPEG\$2 or imag\$4 or video or tv or television\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/29 11:03
S56	85	S55 and @AD<"20020116"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/29 14:17
S57	2792	MPEG\$2 and ((error\$1 or parity or CRC or (cyclic adj redundancy adj check)) same (select\$4 or compar\$6) same (stor\$5 or memor\$2 or buffer\$1 or FIFO\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/29 14:22
S58	1926	S57 and @AD<"20020116"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/29 14:26
S59	2	MPEG\$2 and ((error\$1 or parity or CRC or (cyclic adj redundancy adj check)) same (every adj5 (bit\$1 or byte\$1)) same (select\$4 or compar\$6) same (stor\$5 or memor\$2 or buffer\$1 or FIFO\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/29 14:24
S60	1144	S58 and (sync\$8 or (every adj5 (bit\$1 or byte\$1)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/29 14:28
S61	278	S60 and ("370"/\$.ccls. or "714"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/29 14:49
S62	192	S61 and (decod\$3 same (video or MPEG\$2 or imag\$4 or Tv or television))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/29 14:51
S63	265	(convert\$5 with (7-bit\$1 or ("7" adj bit\$1) or (seven adj bit\$1)) with (8-bit\$1 or ("8" adj bit\$1) or (eigh\$2 adj bit\$1)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/29 14:53
S64	82	S63 and (error\$1 or parity) and sync\$8	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/29 14:53
S65	45	S64 and (MPEG or video)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/29 14:53

S66	265	(convert\$5 with (7-bit\$1 or ("7" adj bit\$1) or (seven adj bit\$1)) with (8-bit\$1 or ("8" adj bit\$1) or (eigh\$2 adj bit\$1)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/29 14:53
S67	82	S66 and (error\$1 or parity) and sync\$8	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/29 14:53
S68	45	S67 and (MPEG or video)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/29 14:53
S69	265	(convert\$5 with (7-bit\$1 or ("7" adj bit\$1) or (seven adj bit\$1)) with (8-bit\$1 or ("8" adj bit\$1) or (eigh\$2 adj bit\$1)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/29 14:53
S70	9	S69 and ((error\$1 or parity or CRC or (cyclic adj redundancy adj check)) same (every adj5 (bit\$1 or byte\$1)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/29 14:53
S71	272	(convert\$5 with (5-bit\$1 or ("5" adj bit\$1) or (five adj bit\$1)) with (8-bit\$1 or ("8" adj bit\$1) or (eigh\$2 adj bit\$1)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/29 14:53
S72	1282	(convert\$5 with (4-bit\$1 or ("4" adj bit\$1) or (four adj bit\$1)) with (8-bit\$1 or ("8" adj bit\$1) or (eigh\$2 adj bit\$1)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/29 14:53
S73	1727	S69 or S71 or S72	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/29 14:53
S74	35	S73 and ((error\$1 or parity or CRC or (cyclic adj redundancy adj check)) same (every adj5 (bit\$1 or byte\$1)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/29 14:53
S76	312	S73 and ((error\$1 or parity or CRC or (cyclic adj redundancy adj check)) near4 (block\$1 or unit\$1 or controller\$1 or processor\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/29 14:53
S77	221	S76 and ((memor\$2 or buffer\$3 or storage\$1) near4 (block\$1 or unit\$1 or controller\$1 or processor\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/29 14:53
S78	102	S77 and MPEG\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/29 14:53
S79	98	S78 and @AD<"20020116"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/10/29 14:53

TH 10/29/05